## IN THE CLAIMS

Please amend claims 3-5 and 9 in accordance with the following rewritten claims in clean form. Please add new claims 10-17. Applicant includes herewith an Attachment for Claim Amendments showing a marked up version of each amended claim.

- 3. (Amended) The liquid crystal display device according to Claim 1, wherein the reflective layer has a plurality of apertures therein.
- 4. (Amended) The liquid crystal display device according to Claim 1, further comprising a color filter layer and a protective layer protecting the color filter, which are provided between the reflective layer and the alignment film and in the roughened area of said one of the substrates.
- 5. (Amended) An electronic apparatus comprising a liquid crystal display device according to Claim 1.
- 9. (Amended) The method for manufacturing a liquid crystal display device, according to Claim 6, further comprising a step of removing the mask material after the step of forming the roughened area is performed, and a step of etching the flat area and the roughened area.
- M
- 10. (New) A liquid crystal display device comprising:

a front substrate and a backside substrate bonded together by a sealing material;
a liquid crystal disposed between said front and backside substrates;
a first alignment film formed on a liquid crystal side of said front substrate;
a second alignment film formed on a liquid crystal side of said backside
substrate;

a surface of said backside substrate is composed of a flat area peripherally surrounding an area that contains a plurality of protrusions and recesses, wherein said second alignment film is disposed within said area that contains said plurality of protrusions and recesses and said sealing material is formed on said flat area; and a plurality of spacers dispersed between said first and second alignment films.

- 11. (New) A liquid crystal display device according to Claim 10, wherein a reflective layer, an insulating layer and a color filter layer are disposed on said backside substrate on said area that contains said plurality of protrusions and recesses.
- 12. (New) A liquid crystal display according to Claim 11, wherein said reflective layer contains a plurality of apertures therein.
- 13. (New) A liquid crystal display device according to Claim 10, wherein a transflective layer, an insulating layer and a color filter layer are disposed on said backside substrate on said area than contains said plurality of protrusions and recesses.

- 14. (New) A liquid crystal display according to Claim 13, wherein said transflective layer contains a plurality of apertures therein.
- 15. (New) A liquid crystal display device according to Claim 10, further comprising a light source.
  - 16. (New) A liquid crystal device comprising:

a liquid crystal disposed between a front substrate and a backside substrate; a polarizer, a retardation plate, a plurality of pixel electrodes, a plurality of

scanning lines, and a first alignment film disposed on said front substrate;

said backside substrate is composed of a flat area peripherally surrounding an area containing a plurality of protrusions and recesses;

a reflective layer, an insulating layer, a color filter layer, a protective layer, a plurality of transparent electrodes, and a second alignment film disposed on said area containing a plurality of protrusions and recesses;

a sealing material disposed on said flat area of backside substrate; and a plurality of spacers disposed between said first and second alignment films.

## **REMARKS**

The purpose of this preliminary amendment is to clarify the translation, remove multiple dependent claims and add new claims.

Favorable consideration of this application is respectfully requested.